

Features

- · Dimmable LED task lighting
- Integrated touch sensor control with memory
- Energy efficient LED lighting 5000K
- 3100Lumens
- CRI 90+
- Integrated Defogger

Construction

- Quality polished edge mirror
- · Single phase wire installation
- 5 MM Silver Backed Copper Free
- Installation Either Surface Mount
- (Side Mirror Trim Panels included) or Recessed
- Includes installation hardware

Codes/Standards Applicable


- Conforms to UL Std. 962
- Cert. to CSA Std. C22.2 No.250.0-08
- ETL Intertek 5004931

Electrical System

- 120Vac, 60Hz, 53W
- Electric Current: 0.44A
- Wattage: 53W

Model

- SVANGE 6036LRR Right Swinging Door
- Included models in this configuration: Cabinet 1=1836R Cabinet 2=2436R Cabinet 3=1836L




Electrical System

- Perfomance Requirments: Contains the required
- Supervisory Circiut with the Auto-Monitoring Function as noted by UL 1310
- Input Voltage: Min 112Vac, Nom 125Vac, Max 137Vac
- Frequency:60Hz
- Front Receptacle Current: 102-132Vac Nominal 15A
- USB Output Current:5VDC Nominal 4A




CABINET CONFIGURATION

• Included models in this configuration: Cabinet 1 = 1836R Cabinet 2=2436R Cabinet 3=1836L














FRONT & BACKS


| MODEL | А | В | С | D | E | F | G | Н |
|---------------|----|--------|----|----|----|--------|-------|----|
| SVANGE6036LRR | 36 | 60-1/4 | 24 | 18 | 36 | 60-1/4 | 1-1/8 | 12 |



RECESSED MOUNT Wall **Recessed Cabinet Cut Recess FRONT BACK** D. D. E.-Optional Electrical **Cord Outlets** I B. **FRONT & BACKS** MODEL В С D Ε G SVANGE6036LRR 60-1/4 35-1/8 59-1/4 36 18 3-1/2 24




RECESS INSTALLATION OPTIONAL ELECTRICAL CORD LOCATIONS



ELECTRICAL CORD LOCATIONS


| MODEL | А | В | | | |
|---------------|-------|----|--|--|--|
| SVANGE6036LRR | 1-1/8 | 12 | | | |





DOOR & CABINET

| MODEL | А | В | С | D | Е | F | G |
|---------------|-----|-------|---|----|-----|-------|----|
| SVANGE6036LRR | 7/8 | 3-1/2 | 5 | 18 | 3/8 | 5-1/4 | 13 |



INTERIOR CABINET

| MODEL | А | В | С | D | E | F | G | Н | 1 | J |
|---------------|-------|-------|-------|----|-------|--------|--------|-------|-----|-------|
| SVANGE6036LRR | 3-3/4 | 5-5/8 | 1-1/4 | 32 | 2-1/4 | 22-1/4 | 16-1/4 | 2-3/8 | 3/8 | 3-5/8 |