

Features

- Dimmable LED task lighting
- Integrated touch sensor control with memory
- Energy efficient LED lighting 5000K
- 3250 Lumens
- CRI 90+
- Integrated Defogger

Construction

- Quality polished edge mirror
- Single phase wire installation
- 5 MM Silver Backed Copper Free
- Installation Either Surface Mount
- (Side Mirror Trim Panels included) or Recessed
- Includes installation hardware

Codes/Standards Applicable

- Conforms to UL Std. 962
- Cert. to CSA Std. C22.2 No.250.0-08
- ETL Intertek 5004931

Electrical System

Requirements for each cabinets:

- 120Vac, 60Hz, 55W
- Electric Current: 0.46A
- Wattage: 55W

Model

- SVANGE 7242TLRR Swinging Door
- Included models in this configuration: Cabinet 1=2442L Cabinet 3=2442R Cabinet 2=2442R

Electrical System

- Perfomance Requirments: Contains the required
- Supervisory Circiut with the Auto-Monitoring Function as noted by UL 1310
- Input Voltage: Min 112Vac, Nom 125Vac, Max 137Vac
- Frequency:60Hz
- Front Receptacle Current: 102-132Vac Nominal 15A
- USB Output Current:5VDC Nominal 4A


SKU


- Name: SVANGE 7242TLRR
- Height: 42"
- Width: 72"
- Weight: 210lbs
- Shipping weight: 215lbs





CABINET CONFIGURATION

• Included models in this configuration: Cabinet 1 = 2442L Cabinet 2 = 2442R Cabinet 3 = 2442R


















SURFACE MOUNT






RECESSED MOUNT





Krug




ELECTRICAL CORD LOCATIONS

MODEL	А	В	С	D	
SVANGE 7242TLRR	1-1/2	1-1/8	1-3/8	11-1/4	


These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible





DOOR & CABINET

MODEL	А	В	С	D	E	F	G
SVANGE 7242TLRR	7/8	3-7/8	3-3/4	18	3/8	5-1/4	11-1/4



INTERIOR CABINET

MODEL	А	В	С	D	Е	F	G	Н	I	J
SVANGE 7242TLRR	3-3/4	5-5/8	1-1/4	38-1/4	2-1/4	22-1/2	22-1/2	2-3/8	3/8	3-5/8

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible