

SVANGE 9642DLLRRR LED Medicine Cabinet - Specification Sheet




Features

- Dimmable LED task lighting
- Integrated touch sensor control with memory
- Energy efficient LED lighting 5000K
- 3250 Lumens
- CRI 90+
- Integrated Defogger

Construction

- Quality polished edge mirror
- Single phase wire installation
- 5 MM Silver Backed Copper Free
- Installation Either Surface Mount
- (Side Mirror Trim Panels included) or Recessed
- Includes installation hardware



Codes/Standards Applicable

- Conforms to UL Std. 962
- Cert. to CSA Std. C22.2 No.250.0-08
- ETL Intertek 5004931

Electrical System

Requirements for each cabinets:

- 120Vac, 60Hz, 55W
- Electric Current: 0.46A
- Wattage: 55W

Model

- SVANGE 9642DLLRRR Swinging Doors
- Included models in this configuration:
Cabinet 1=1242L Cabinet 2=2442L
Cabinet 3=1242L Cabinet 4=1242R
Cabinet 5=2442R Cabinet 6=1242R

Electrical System


- Performance Requirements: Contains the required
- Supervisory Circuit with the Auto-Monitoring Function as noted by UL 1310
- Input Voltage: Min 112Vac, Nom 125Vac, Max 137Vac
- Frequency: 60Hz
- Front Receptacle Current: 102-132Vac Nominal 15A
- USB Output Current: 5VDC Nominal 4A

SKU


- Name: SVANGE 9642DLLRRR
- Height: 42"
- Width: 96"
- Weight: 304lbs
- Shipping weight: 311lbs

CABINET CONFIGURATION

- Included models in this configuration:
Cabinet 1=1242L Cabinet 2=2442L Cabinet 3=1242L
Cabinet 4=1242R Cabinet 5=2442R Cabinet 6=1242R




SVANGE 9642DLLRRR LED Medicine Cabinet - Specification Sheet




SVANGE 9642DLLRRR LED Medicine Cabinet - Specification Sheet


SURFACE MOUNT



FRONT



BACK






FRONT & BACKS

MODEL	A	B	C	D	E	F	G	H
SVANGE9642 DLLRRR	42	96	12	24	42	96	1-1/8	11-1/4

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

RECESSED MOUNT




FRONT & BACKS

MODEL	A	B	C	D	E	F	G
SVANGE9642 DLLRRR	42	96	12	24	41-1/8	95-1/8	3-7/8

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

RECESS INSTALLATION OPTIONAL ELECTRICAL CORD LOCATIONS




ELECTRICAL CORD LOCATIONS

MODEL	A	B
SVANGE9642 DLLLLRRR	1-3/8	11-1/4


These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

SVANGE 9642DLLRRR LED Medicine Cabinet - Specification Sheet



DOOR & CABINET

MODEL	A	B	C	D	E	F	G
SVANGE9642 DLLRRR	7/8	3-7/8	4-3/4	18	3/8	5-1/4	11-1/4



INTERIOR CABINET

MODEL	A	B	C	D	E	F	G	H	I	J
SVANGE9642 DLLRRR	3-3/4	5-5/8	1-1/4	40-1/2	2-1/4	10-1/2	22-1/2	2-3/8	3/8	3-5/8

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible