SVANGE 6636DLLR LED Medicine Cabinet - Specification Sheet



Features

- Dimmable LED task lighting
- Integrated touch sensor control with memory
- Energy efficient LED lighting 5000K
- 3100Lumens
- CRI 90+
- Integrated Defogger

Construction

- Quality polished edge mirror
- Single phase wire installation
- 5 MM Silver Backed Copper Free
- Installation Either Surface Mount
- (Side Mirror Trim Panels included) or Recessed
- Includes installation hardware

Codes/Standards Applicable

- Conforms to UL Std. 962
- Cert. to CSA Std. C22.2 No.250.0-08
- ETL Intertek 5004931

Electrical System

- 120Vac, 60Hz, 53W
- Electric Current: 0.44A
- Wattage: 53W

Model

- SVANGE 6636DLLR Right & Left Swinging Door
- Included models in this configuration: Cabinet 1=2436L Cabinet 2=2436R Cabinet 3=1236L


Electrical System

- Perfomance Requirments: Contains the required
- Supervisory Circiut with the Auto-Monitoring Function as noted by UL 1310
- Input Voltage: Min 112Vac, Nom 125Vac, Max 137Vac
- Frequency:60Hz
- Front Receptacle Current: 102-132Vac Nominal 15A
- USB Output Current:5VDC Nominal 4A




CABINET CONFIGURATION

• Included models in this configuration: Cabinet 1 = 2436L Cabinet 2=1236L Cabinet 3=2436R




SVANGE 6636DLLR LED Medicine Cabinet - Specification Sheet



Kru



SURFACE MOUNT



These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible

18

24

36

66

Α.


11-1/4

1-1/8

61-1/2




RECESSED MOUNT



Page 5 of 7 SVANGE6636DLLR- Specification Sheet




RECESS INSTALLATION OPTIONAL ELECTRICAL CORD LOCATIONS



ELECTRICAL CORD LOCATIONS


MODEL	А	В	С	D		
SVANGE6636DLLR	1-1/2	1-1/8	1-3/8	11-1/4		

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible



DOOR & CABINET

MODEL	А	В	С	D	E	F	G
SVANGE6636DLLR	7/8	3-7/8	4-3/4	18	3/8	5-1/4	11-1/4



INTERIOR CABINET

MODEL	А	В	С	D	Е	F	G	н	I	J
SVANGE6636DLLR	3-3/4	5-5/8	1-1/4	34-1/2	2-1/4	16-1/2	22-1/2	2-3/8	3/8	3-5/8

These measurements are for reference, for best results we suggest you measure actual product as small variations in size are possible